**Ophthalmology and Visual Sciences** 



# Situs Inversus of the Retinal Vessels

Category(ies): Retina, Vitreous

Contributor: Elizabeth Gauger, MD and Eric Chin, MD

Photographer: First set: Brice Critser, CRA; Second Set: Carol Chan, CRA



The patient was a 57-year-old man with vision loss in the right eye (OD) greater than left eye (OS) in the setting of a craniopharyngioma, which was resected 16 years prior. His visual acuity had been no light perception OD and 20/20 OS since the procedure.

Figure 1 is a fundus photo from a patient who has significant situs inversus (note, the scarring in the macula is from prior laser treatment and unrelated to the situs inversus).





**Q** Enlarge









Figure 2 is a fundus photo from a different patient who has moderate situs inversus. It is easiest to appreciate this vascular variation when it is compared to a normal fundus (Figure 3).












Figure 3. Normal Fundus (Contributed by Jesse Vislisel, MD; Photography: Toni Venckus, CRA





## **Image Permissions:**



Ophthalmic Atlas Images by EyeRounds.org, The University of Iowa are licensed under a Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License.

#### Address

University of Iowa Roy J. and Lucille A. Carver College of Medicine Department of Ophthalmology and Visual Sciences 200 Hawkins Drive Iowa City, IA 52242

Support Us

#### Legal

Copyright © 2019 The University of Iowa. All Rights Reserved Report an issue with this page Web Privacy Policy | Nondiscrimination Statement

#### **Related Links**

Cataract Surgery for Greenhorns EyeTransillumination Gonioscopy.org Iowa Glaucoma Curriculum Iowa Wet Lab Patient Information Stone Rounds The Best Hits Bookshelf

### **EyeRounds Social** Media

Follow





Receive notification of new cases, sign up here Contact Us Submit a Suggestion